

In the Specification:

Please replace the paragraph beginning at page 5, line 28 with the following rewritten paragraph:

~~Example 1~~—Exemplary Overview of Exemplary Conceptualization System

Please replace the paragraph beginning at page 6, line 6 with the following rewritten paragraph:

A conceptualizer 142 analyzes the structured ~~the~~ job candidate data 122 to generate conceptualized job candidate data 152. The conceptualized job candidate data 152 includes one or more concepts extracted (e.g., identified) via analysis of the job candidate data 122. The same concept can be extracted from the job candidate data 122 in a variety of ways. For example, because two candidates may describe the same concept using different language, the same concept may be extracted from two different resumes even though the same language does not appear in the resumes. For example, the concept can be extracted if language somehow denoted as related to a concept is found. For instance, a resume describing a candidate as a “VOIP Engineer” and another resume describing another candidate as a “PBX Engineer” can be represented in software by the same concept.

Please replace the paragraph beginning at page 6, line 18 with the following rewritten paragraph:

~~Example 2~~—Exemplary Overview of Conceptualization Method

Please replace the paragraph beginning at page 7, line 7 with the following rewritten paragraph:

~~Example 3~~—Exemplary Overview of Matching System

Please replace the paragraph beginning at page 7, line 26 with the following rewritten paragraph:

~~Example 4~~—Exemplary Matching Method

Please replace the paragraph beginning at page 8, line 4 with the following rewritten paragraph:

~~Example 5~~—Exemplary Conceptualizer

Please replace the paragraph beginning at page 8, line 18 with the following rewritten paragraph:

The ontology extractors 520, the heuristic extractors 540, and the concept ~~scorer~~extractors 560 can rely on knowledge embedded therein that is specific to the domain of human resources (e.g., roles, skills, and other qualities of job candidates). In the example, the parsing extractors 550 need not use embedded knowledge that is specific to the field of human resources. Such domain-specific knowledge can be accessed by the extractors in the form of various rules, relationships, and other data stored in or accessible to the conceptualizer 500. The exemplary conceptualizer can include functionality for parsing job candidate data. The conceptualizer can serve to extract concepts (e.g., roles, etc.), normalize the language found in the job candidate data, score the concepts extracted, or any combination thereof.

Please replace the paragraph beginning at page 9, line 1 with the following rewritten paragraph:

~~Example 6~~—Exemplary Concepts

Please replace the paragraph beginning at page 9, line 11 with the following rewritten paragraph:

~~Example 7~~—Exemplary Ontology

Please replace the paragraph beginning at page 10, line 4 with the following rewritten paragraph:

~~Example 8~~—Exemplary Method for Extracting Concepts via an Ontology

Please replace the paragraph beginning at page 10, line 18 with the following rewritten paragraph:

~~Example 9~~—Exemplary Ontology Extractor

Please replace the paragraph beginning at page 10, line 26 with the following rewritten paragraph:

~~Example 10~~—Exemplary Ontology-Independent Heuristic Extractor and Method

Please replace the paragraph beginning at page 11, line 6 with the following rewritten paragraph:

~~Example 11~~—Exemplary Concept Scoring

Please replace the paragraph beginning at page 11, line 20 with the following rewritten paragraph:

FIG. 11 shows an exemplary method 1100 for generating concept scores from job candidate data. At 1120, job candidate data (e.g., the job candidate data 122 of FIG. 1) is received. At ~~1140~~1130, concepts and their associated scores are output based on analysis by the conceptualizer (e.g., the combined analysis of the extractors 520 and 540 of FIG. 5).

Please replace the paragraph beginning at page 11, line 25 with the following rewritten paragraph:

~~Example 12~~—Exemplary System for Matching via *N*-Dimensional Space

Please replace the paragraph beginning at page 14, line 18 with the following rewritten paragraph:

~~Example 13~~—Exemplary Closest Matches

Please replace the paragraph beginning at page 15, line 6 with the following rewritten paragraph:

~~Example 14~~—Exemplary Concept Scoring Calculation

Please replace the paragraph beginning at page 17, line 1 with the following rewritten paragraph:

~~Example 15~~—Special Organizations

Please replace the paragraph beginning at page 17, line 15 with the following rewritten paragraph:

~~Example 16~~—Exemplary Trusted and Speculative Concept Extractors

Please replace the paragraph beginning at page 18, line 6 with the following rewritten paragraph:

~~Example 17~~—Exemplary Taxonomy

Please replace the paragraph beginning at page 18, line 15 with the following rewritten paragraph:

~~Example 18~~—Exemplary Taxonomy Arrangement: Roles

Please replace the paragraph beginning at page 19, line 4 with the following rewritten paragraph:

~~Example 19~~—Exemplary Ontology Entry: “Voice Engineer” Role

Please replace the paragraph beginning at page 20, line 2 with the following rewritten paragraph:

~~Example 20~~—Exemplary Extraction Techniques via Ontology

Please replace the paragraph beginning at page 21, line 4 with the following rewritten paragraph:

Second, the ontology allows normalization of the language that job candidates use to express themselves. Whether the candidate's resume states "Voice Engineer," "VOIP Engineer," or "PBX Engineer," the software can recognize that all three ~~there~~ are alternative ways of expressing the same concepts "Voice Engineer." By extracting the same concept 'Role_Voice Engineer' regardless of the term used, the system reliably identifies Voice Engineers, even if they do not use the phrase "Voice Engineer" in their resume.

Please replace the paragraph beginning at page 21, line 11 with the following rewritten paragraph:

Example 21—Exemplary Ontology Extractors

Please replace the paragraph beginning at page 21, line 18 with the following rewritten paragraph:

Example 22—Exemplary Parent Ontology Extractor

Please replace the paragraph beginning at page 22, line 14 with the following rewritten paragraph:

Example 23—Exemplary Execution of Parent Ontology Extractor

Please replace the paragraph beginning at page 23, line 16 with the following rewritten paragraph:

Example 24—Exemplary Skills Taxonomy

Please replace the paragraph beginning at page 23, line 24 with the following rewritten paragraph:

Example 25—Learning System

Please replace the paragraph beginning at page 25, line 1 with the following rewritten paragraph:

~~Example 26~~— Exemplary Execution of Learning System

Please replace the paragraph beginning at page 26, line 24 with the following rewritten paragraph:

~~Example 27~~— Exemplary Ontology-independent Heuristic Extractors

Please replace the paragraph beginning at page 78, line 8 with the following rewritten paragraph:

**~~Example 28~~— Exemplary Ontology-independent Heuristic Extractor:
Skills List Extractor**

Please replace the paragraph beginning at page 28, line 24 with the following rewritten paragraph:

**~~Example 29~~— Exemplary Ontology-independent Heuristic Extractor:
Skills List Heuristic Extractor Execution**

Please replace the paragraph beginning at page 32, line 1 with the following rewritten paragraph:

**~~Example 30~~— Exemplary Ontology-independent Heuristic Extractor:
Title Heuristic Extractor**

Please replace the paragraph beginning at page 31, line 9 with the following rewritten paragraph:

Those sentences declared to be a skills list are then processed to extract skills therefrom. To extract the skills, the following technique can be applied as a particular exemplary implementation ~~exemplary implementation~~ of the method 2100 of FIG. 21:

Please replace the paragraph beginning at page 32, lines 26-27 with the following rewritten paragraph:

3. Replace common parsing artifacts. For example, “Project & Product Manager” becomes “Project Product and Product Manager”.

Please replace the paragraph beginning at page 33, line 8 with the following rewritten paragraph:

**~~Example 31~~—Exemplary Ontology-independent Heuristic Extractor:
Exemplary Management Heuristic Extractor**

Please replace the paragraph beginning at page 33, line 24 with the following rewritten paragraph:

~~Example 32~~—Execution of Exemplary Management Heuristic Extractor

Please replace the paragraph beginning at page 34, line 25 with the following rewritten paragraph:

~~Example 33~~—Exemplary Special Purpose Concepts

Please replace the paragraph beginning at page 35, line 4 with the following rewritten paragraph:

~~Example 34~~—Exemplary Integrated Assessment Analysis

Please replace the paragraph beginning at page 35, line 17 with the following rewritten paragraph:

~~Example 35~~—Candidate Analytics

Please replace the paragraph beginning at page 35, line 24 with the following rewritten paragraph:

~~Example 36~~—Exemplary Analytic: Frequent Job Moves

Please replace the paragraph beginning at page 36, line 4 with the following rewritten paragraph:

~~Example 37~~—Exemplary Analytic: Career Trajectory Match

Please replace the paragraph beginning at page 37, line 1 with the following rewritten paragraph:

~~Example 38~~—Exemplary Matching Functionality

Please replace the paragraph beginning at page 37, line 13 with the following rewritten paragraph:

~~Example 39~~—Exemplary System for Generation of Proposed Query Modifications to Control Number of Results Returned by Query

Please replace the paragraph beginning at page 38, line 4 with the following rewritten paragraph:

~~Example 40~~—Exemplary Sub-Systems for Generation of Proposed Query Modifications to Control Number of Results Returned by Query

Please replace the paragraph beginning at page 38, line 6 with the following rewritten paragraph:

FIG. 25 shows an exemplary system 2500 for proposing query modifications to control the number of results returned by a query. The system can function similarly to the system 2400 of FIG. 24. However, in the example, the forecaster 2532 includes subsystems for proposing dynamic range adjustment 2533, proposing changes to priority 2534, and proposing role-based modifications 2535 to the query 2422. Exemplary implementations of the subsystems are described below.

Please replace the paragraph beginning at page 38, line 13 with the following rewritten paragraph:

Example 41—Exemplary Method for Generation of Proposed Query Modifications to Control Number of Results Returned by Query

Please replace the paragraph beginning at page 38, line 30 with the following rewritten paragraph:

At 2720 it is determined whether the number of results (e.g., the number of job candidates returned by the query) is within the desired range. If not, at 2730, it is determined whether the number of results is above the range. If so, at ~~2740-2750~~, a constraining modification predicted to bring the number of candidates within (or closer to) the range is generated. If not, at ~~2750-2760~~, a relaxing modification predicted to bring the number of candidates within (or closer to) the range is generated.

Please replace the paragraph beginning at page 39, line 6 with the following rewritten paragraph:

Example 42—Exemplary Implementation of Sub-Systems to Generate Hints

Please replace the paragraph beginning at page 40, line 1 with the following rewritten paragraph:

On the other hand, if the generator is generating a relaxing hint, it can identify a component that has the lowest number of candidates associated with it that is currently required and suggest that the identified component be changed to not required.

Please replace the paragraph beginning at page 40, line 10 with the following rewritten paragraph:

Example 43—Exemplary Automated Application of Proposed Query Modifications

Please replace the paragraph beginning at page 40, line 22 with the following rewritten paragraph:

~~Example 44~~—Exemplary Cloning

Please replace the paragraph beginning at page 41, line 1 with the following rewritten paragraph:

~~Example 45~~—Exemplary Cloning Techniques

Please replace the paragraph beginning at page 41, lines 14 with the following rewritten paragraph:

Concept selection can be done by a set of five specialized software components (e.g., “cloners” or cloner objects). Each is given the incoming candidate and selects from concepts ~~from~~ to add to the job requisition being constructed. The relative importance of the cloners is configurable. The five cloners can include a role cloner, a skill cloner, a company cloner, an industry cloner, and an education cloner.

Please replace the paragraph beginning at page 42, line 13 with the following rewritten paragraph:

~~Example 46~~—Exemplary Architecture for Achieving Matching Functionality

Please replace the paragraph beginning at page 43, line 1 with the following rewritten paragraph:

~~Example 47~~—Exemplary Data Structures for Achieving Matching Functionality

Please replace the paragraph beginning at page 45, line 8 with the following rewritten paragraph:

The Freshness field may be set to a special value (e.g., -1) to indicate that candidates with any freshness value can be matched.

Please replace the paragraph beginning at page 49, line 2 with the following rewritten paragraph:

~~Example 48~~—Exemplary Design for Achieving Matching Functionality via API

Please replace the paragraph beginning at page 66, line 12 with the following rewritten paragraph:

~~Example 49~~—Exemplary User Interface Presentation of Match Results

Please replace the paragraph beginning at page 66, line 25 with the following rewritten paragraph:

For example, FIG. 31 shows a screenshot of an exemplary graphical user interface 3100 depicting an overview of a candidate (in this case John Smith). In the example, the applicant's name and other information is displayed. In addition, the workstyle match indicator 3140 and thermometer 3145 indicate how well the candidate matches the job workstyle based on a questionnaire (e.g., such as that described in Example 34). Management experience (e.g., the analytic described in Example 31) is also indicated by the indicator 3160. Further, whether the candidate changes jobs frequently (e.g., as described in Example 36) can be indicated by the indicator 3180. Additional, less, or different information can be presented.

Please replace the paragraph beginning at page 67, lines 4 with the following rewritten paragraph:

~~Example 50~~—Integration into Applicant Tracking Software System

Please replace the paragraph beginning at page 67, lines 9 with the following rewritten paragraph:

~~Example 51~~—Exemplary Knowledge-Based Human Resources Search

Please replace the paragraph beginning at page 67, lines 16 with the following rewritten paragraph:

~~Example 52~~—Exemplary Desired Job Candidate Criteria

Please replace the paragraph beginning at page 67, lines 23 with the following rewritten paragraph:

~~Example 53~~—Exemplary Job Candidates

Please replace the paragraph beginning at page 68, lines 1 with the following rewritten paragraph:

~~Example 54~~—Exemplary Computer-Readable Media

Please replace the paragraph beginning at page 68, lines 11 with the following rewritten paragraph:

~~Example 55~~—Exemplary Implementation of Systems